

[English Version]

DARTE-Q CAP.

Property:

The product is a capsule with green color.

Composition:

DARTE-Q CAP. is a combination capsule, containing 40 mg Dihydroartemisinin (DHA) and 320 mg Piperazine phosphate (PQP). Inactive ingredients include maize starch, lactose, hypromellose, PVP, Mg stearate and Talc.

Pharmacology:

DARTE-Q CAP. is a rapid plasma schizontocide with rapid symptom control. It is effective for multi-drug resistant *falciparum* malaria and has inhibitory effect on *falciparum* gametocyte, thus minimizing the malaria transmissibility. Studies showed that the two active ingredients of DARTE-Q CAP. had the synergistic effect.

Pharmacokinetics:

Upon oral administration DHA is rapidly absorbed and maximum blood concentration attained after 1 hr with a half life of 4 hrs. It is widely distributed in the body but more concentrated in the liver, kidney and bile.

Approximately 80% is excreted through urine and faeces within 24 hr.

Upon oral administration of PQP 80-90% is absorbed within 24 hrs and is distributed in the liver, kidney, lung and spleen... etc. Elimination is very slow with half life of 9.4 days. It is excreted through bile via hepatoenteral circulation



Over dosage:



Do not exceed the stated dosage and consult the physician without any delay for symptomatic specialized treatment should any accidental overdose occur.

Precautions:




1. Lactation: passing in maternal milk has not been established. If in doubt, kindly do not hesitate to consult the advice of the physician or pharmacist.
2. In order to avoid any possible drug interaction inform the physician or pharmacist if any other drugs are being taken.

Packaging: 8 capsules/blister/box.

Storage: Preserve in tight containers below 30°C




Cumulative risk of patients failing with *P. falciparum* and *P. vivax* parasitaemia (alone or mixed)



Number at risk

	166	145	138	132	117	97	73
AAQ arm	166	145	138	132	117	97	73
DHP arm	168	155	147	145	135	128	111

A, for *P. falciparum* parasitemia (alone or with *P. vivax* coinfection).
B, for *P. vivax* parasitemia (alone or with *P. falciparum* coinfection).



[Portuguese Version]

DARTE-Q CÁPSULA

Propriedade :

O produto é uma cápsula de cor verde.

Composição :

DARTE-Q CÁPSULA é uma cápsula de combinação, conte 40 miligramas Dihydroartemisinin (DHA) e 320 miligramas fosfato de Piperquina (PQP). Ingrediente inativo inclui amido de milho, lactose, hypromelose, PVP, estearato de magnésio e Talco.

Farmacologia:

DARTE-Q CÁPSULA é uma schizontocida de plasma rápida e forte com controle de sintoma rápido e efetividade para multi-droga resistente malária de falciparum e consideravelmente efeito inibitório no gametócito de falciparum, assim minimiza a transmissibilidade da malária.

Farmacodinâmica :

Os estudos mostraram que os dois ingredientes ativos do DARTE-Q CÁPSULA têm o efeito sinérgico obviamente.

Indicações:

Anti-malárico para gêneros da malária, quer dizer falciparum, paludismo e malária... etc.

Administração e dosagem:

Toma oralmente.

Dosagem da DARTE-Q CÁPSULA em diferente grupos de idade :

idade (anos)	7-10	11-15	≥ 16



Cuidado :

1. Não exceda a dosagem fixa e consulte o médico imediatamente para tratamento sintomático específico, Deveria algum superdose acidental ocorre.
2. Lactação : deixar na leite materno não ser estabelecido. Se alguma dúvida é disponível, por favor não hesita a procurar o conselho do médico ou farmacêutico.
3. Para evitar qualquer interação do remédio possível, por favor informa o médico ou farmacêutico se alguns outros remédios são ser tomados.

Empacotamento: DARTE-Q CÁPSULA X 8/bolha/caixa.

Armazenamento: Guarda nos recipientes apertados.

Vida de prateleiras: 3 anos.

Categoria de dispensa : Somente sobre prescrição

Código de ATC : P01B

